

STARVIEW™

BSC II SERIES FULLY AUTOMATIC CAROUSEL PLASTIC-TO-PLASTIC CLAMSHELL AND BLISTER SEALING MACHINES



Typical BSC II Series Carousel Machine shown with three feeders and finished package unloader

- ★ **Unique design allows sealing of Plastic-to-Plastic Clamshell, Face Seal Blister, Double Card Trapped Blister, Half-clamshell and Club Pack style packages with simple tooling changes**
- ★ **Patent Pending Hot/Cold process provides safe and efficient sealing of PVC, PETG, GAG PET & similar materials**
- ★ **Complete PLC machine control with color touch screen operator interface**
- ★ **Front & Back Blister feeder, Insert Card Feeder and Finished Package Unloader Standard**
- ★ **Smooth and reliable conveyor operation with heavy-duty cam indexer and AC variable frequency drive**
- ★ **7 open stations for product loading or customer furnished automation standard. Machine designs with additional stations available**

Description

Starview's **BSC II Series** carousel type blister sealers are designed for high volume production requirements. Fourteen (14) station machines are standard; however, models can be manufactured with anywhere from twelve (12) to twenty (20) or more stations. The BSC II machines may be used for Plastic-to-Plastic Clamshell sealing as well as conventional carded blisters, full face blisters and half-clamshell styles including applications using Tyvek, foils and other heat sealable lidstock. The standard BSC II machines feature one heated sealing station, one cooling station, one bottom blister feed station, one insert card feed station, one top blister feed station and one finished package unload station, with the remaining stations used for operator product loading stations and customer furnished automation.

Starview's **BSC II Series** carousel type blister sealing machines can be designed to include optional features such as additional automatic feeders, bar code verifiers, etc. Additional PLC I/O's may be added for interface with customer supplied systems.

The photo to the left is an embedded video with audio. To play, move your cursor over the photo and left click.

Right click the video anytime it is playing to bring up a menu including pause, play, stop, etc.

If you are playing this video from our website you will have to allow sufficient time for the complete file to download.

SPECIFICATIONS

<i>Model</i>	BSC II 14-1418	BSC II 14-1824
Sealing area:	14" x 18"	18" x 24"
Total no. of sealing fixtures:	14	14
Open loading stations:	7	7
Bottom blister feeder:	Standard	Standard
Insert card feeder:	Standard	Standard
Top blister feeder:	Standard	Standard
Finished package unloader:	Standard	Standard
Max clamshell/ blister depth:	3.25"	3.25"
Max clamshell back height std:	2.5"	2.5"
Avg. cycle speed:	1-14 cpm	1-12 cpm
Approximate size:	232"W x 79"D x 67"H	306W x 94D x 90"H
Approximate wt:	8,000 LB.	10,000 LB.

Specifications and model availability are subject to change without notice.

Please request specific model quotations for complete pricing, specifications and options from your local distributor. Feel free to contact Starview to obtain the contact information for the authorized distributor in your area.



Starview Packaging Machinery, Inc.

9325 TransCanada Highway
St. Laurent, Quebec H4S 1V3
www.starview.net

Toll Free: 888-278-5555
Tel: 514-920-0100
Fax: 514-920-0092
Email: sales@starview.net



Manufacturers of a full line of Blister Packaging Machines, Clamshell Sealing Machines, Skin Packaging Machines, Food Packaging Machines, Vacuum and Pressure Formers, Die Cutting Machines and related tooling.

Copyright 2009 Starview Packaging Machinery, Inc.

