

STARVIEW™

PHSA SERIES FULLY AUTOMATIC ROTARY PLASTIC-TO-PLASTIC CLAMSHELL AND BLISTER SEALING MACHINES



PHS8A Automatic Rotary Plastic-to-Plastic Clamshell and Blister Sealing Machine

- ★ Patent Pending Hot/Cold process provides safe and efficient sealing of PVC, PETG, GAG PET & similar materials
- ★ Complete PLC machine control with color touch screen operator interface
- ★ Front & Back Blister feeder, Insert Card Feeder and Finished Package Unloader Standard
- ★ Smooth and reliable table operation with heavy-duty cam indexer and AC variable frequency drive
- ★ Excellent for high volume OEM's and contract packagers
- ★ Heavy-duty industrial design floor model machine

Description

Starview's PHSA Series rotary type Clamshell and Blister sealers are designed for high volume production requirements. These machines may be used for Plastic-to-Plastic Clamshell sealing as well as conventional carded blisters, full face blisters and half-clamshell styles including applications using Tyvek, foils and other heat sealable lidstock. The standard machines feature one heated sealing station and one cooled station, one finished package unload station, one bottom blister feed station, one insert card feed station and one top blister feed station with the remaining stations used for operator product loading stations.

Starview's Fully Automatic Hot/Cold clamshell and blister sealing machines are also available as Carousel and Inline machine configurations. Carousel and Inline machines allow for additional open loading stations as well as customer installed automation such as vibratory feeders.

The photo to the left is an embedded video with audio. To play, move your cursor over the photo and left click.

Right click the video anytime it is playing to bring up a menu including pause, play, stop, etc.

If you are playing this video from our website you will have to allow sufficient time for the complete file to download.

SPECIFICATIONS

<i>Model</i>	PHS8A-1418	PHS8A-1824
Sealing Area:	14" x 18"	18" x 24"
No. of open stations:	2	2
Clamshell front feeder:	Standard	Standard
Card feeder:	Standard	Standard
Clamshell back feeder:	Standard	Standard
Finished package unloader:	Standard	Standard
Max clamshell/blister depth:	3.5"	3.5"
Max clamshell back height:	1.5"	1.5"
Avg. cycle speed clamshell pkg:	1-14 cpm	1-14 cpm
Ave. cycle speed blister pkg:	1-20 cpm	1-16 cpm
Approximate size:	102W x 96D x 67"H	150W x 115D x 90"H
Approximate wt:	4,200 LB.	5,500 LB.

Specifications and model availability are subject to change without notice.

Please request specific model quotations for complete pricing, specifications and options from your local distributor. Feel free to contact Starview to obtain the contact information for the authorized distributor in your area.



Starview Packaging Machinery, Inc.
9325 TransCanada Highway
St. Laurent, Quebec H4S 1V3
www.starview.net

Toll Free: 888-278-5555
Tel: 514-920-0100
Fax: 514-920-0092
Email: sales@starview.net



Manufacturers of a full line of Blister Packaging Machines, Clamshell Sealing Machines, Skin Packaging Machines, Food Packaging Machines, Vacuum and Pressure Formers, Die Cutting Machines and related tooling.

Copyright 2009 Starview Packaging Machinery, Inc.

