

STARVIEW™

**RP SERIES
ROLLER DIE CUTTING
MACHINES**



**Standard RP Series Roller Die Cutting Machine shown
with steel rule cutting die**

- ★ **Single and double driven pressure roller designs offered**
- ★ **Uses standard steel rule dies**
- ★ **Die cutting occurs as die passes between rollers in both directions**
- ★ **Soft start / soft stop drive system reduces vibration and wear**
- ★ **Heavy-duty industrial design for long life**

Description

Starview's RP Series Roller Die Cutters are versatile enough to handle a full range of low to high production requirements. These machines will trim a wide range of materials such as skin packaged products, thermoformed products, cork, rubber and any other application where a steel rule die can be utilized. Single driven pressure roller machines may be used where cutting registration is not critical and cutting pressures are low. Double driven pressure roller machines should be used where registration is important or for higher cutting pressures.

Starview's RP Series Roller Die Cutters are available with optional features including conveyor mounted controls, an automatic start-stop function and larger than standard opening between the pressure rollers for taller trim dies.

The photo to the left is an embedded video with audio. To play, move your cursor over the photo and left click.

Right click the video anytime it is playing to bring up a menu including pause, play, stop, etc.

If you are playing this video from our website you will have to allow sufficient time for the complete file to download.

SPECIFICATIONS

<i>Model</i>	RP22-1	RP28-2	RP34-2
Max die width:	23.0"	29.0"	35.0"
Max die length:	Unlimited with support	Unlimited with support	Unlimited with support
Max die height std:	6.0"	6.0"	6.0"
Driven rolls:	Lower	Upper & Lower	Upper & Lower
Dia.-pressure rolls:	5.5"	7.5"	7.5"
Motor horsepower:	1	2	2
Avg. cycle speed:	1-4 cpm	1-4 cpm	1-4 cpm
Approximate size:	76W x 41D x 53"H	113W x 42D x 53"H	126W x 51D x 53"H
Approximate wt:	550 LB.	850 LB.	950 LB.
<i>Model</i>	RP40-2	RP54-2	
Max die width:	41.0"	55.0"	
Max die length:	Unlimited with support	Unlimited with support	
Max die height std:	6.0"	6.0"	
Driven rolls:	Upper & Lower	Upper & Lower	
Dia.-pressure rolls:	7.5"	7.5"	
Motor horsepower:	2	3	
Avg. cycle speed:	1-4 cpm	1-4 cpm	
Approximate size:	126W x 57D x 53"H	173W x 72D x 53"H	
Approximate wt:	1050 LB.	1450 LB.	

Specifications and model availability are subject to change without notice.

Please request specific model quotations for complete pricing, specifications and options from your local distributor. Feel free to contact Starview to obtain the contact information for the authorized distributor in your area.



Starview Packaging Machinery, Inc.

9325 TransCanada Highway
St. Laurent, Quebec H4S 1V3
www.starview.net

Toll Free: 888-278-5555
Tel: 514-920-0100
Fax: 514-920-0092
Email: sales@starview.net



Manufacturers of a full line of Blister Packaging Machines, Clamshell Sealing Machines, Skin Packaging Machines, Food Packaging Machines, Vacuum and Pressure Formers, Die Cutting Machines and related tooling.

Copyright 2009 Starview Packaging Machinery, Inc.

